



Milesight Release Note For Camera

Firmware Version: 4X.7.0.80

Applicable Model: MS-CXXXX-B/C

Release Date: 18th March, 2022

1. Overview

Milesight, the best-in-class AIoT surveillance solution provider who manufactures products with superior image quality, exceptional flexibility and reliability for the global market, is pleased to announce the release of the new firmware version 4X.7.0.80 of the Milesight Network Camera. This updated release includes the new features, optimizations and bug fixes.

2. Firmware link

Firmware	Download Link
40.7.0.80	https://drive.google.com/file/d/1FOZ6opaDgYaqFgz2kOtsZHVEaUsT3eUk/view?usp=sharing
43.7.0.80	https://drive.google.com/file/d/1tqFYjqv_1o0ZtvCco6GHohnfKc-GnIDY/view?usp=sharing
45.7.0.80	https://drive.google.com/file/d/1VFT77garbfManbjeznSC9XdJlzubdc4B/view?usp=sharing
46.7.0.80	https://drive.google.com/file/d/1Pg7w0X6qLrvk3lkbVuheETfah_N0q4cB/view?usp=sharing
43.7.0.80-LPR1	https://drive.google.com/file/d/1kLRquD5FrcFIYr0IQM8OwezvDILKN-A5/view?usp=sharing
43.7.0.80-LPR2	https://drive.google.com/file/d/14jtrXrBHwCNvpnkYMTyPcyDYuxik-h4G/view?usp=sharing
43.7.0.80-LPR3	https://drive.google.com/file/d/11YQOyem8ZSt0in7fLOCrV8HUWoY2iOlw/view?usp=sharing
45.7.0.80-LPR_EU	https://drive.google.com/file/d/11SV0AAddGv6Hhzohje7z8bQVTJLWE4Th/view?usp=sharing
45.7.0.80-LPR1	https://drive.google.com/file/d/1eFLOm_NUpMX46Mjaj6kCcDLUnBSC3Z7G/view?usp=sharing
45.7.0.80-LPR2	https://drive.google.com/file/d/1FL_wmB1EqV2sUklTR-IYSAFM9WTEe7sO/view?usp=sharing
45.7.0.80-LPR3	https://drive.google.com/file/d/1cXWWFOfpfJmNQXTvHsbbWutpzrIB5Op/view?usp=sharing
45.7.0.80-LPR4	https://drive.google.com/file/d/1D92mn4nksHOHw9zQxrW2wDYiYx9B0705/view?usp=sharing


Note:

If you failed to get the upgrade firmware through clicking the link directly, please copy the link to browser manually.

3. What's new


3.1 New Features

- (1) With Milesight rebranding, a new logo is also released in this version to bring brand-new experience to global customers.



- (2) Support Image-based Mode of Day/Night Mode. The image shown in live view is based on the Day/Night Mode image sensitivity.

Note: Make sure your camera model is MS-CXX74-PB.



3.2 Optimizations

- (1) Optimize the fluency and accuracy of PTZ Control for MS-CXX67-XXC models.
- (2) Support saving the password of PTZ cameras when connecting with keyboard and users can login without password when reboot.
- (3) Compatible with some new features of Milesight NVR and VMS Enterprise.
- (4) Optimize other functions.

3.3 Bug Fixes

- (1) Fix the bug that problems caused by the IR light of fisheye camera.
- (2) Fix the bug that the primary stream video of LPR cameras is stuck occasionally.
- (3) Fix the bug that the Smoked Dome Cover function of pro dome cameras cannot be enabled occasionally.
- (4) Fix the bug that the alarm of speed dome camera is triggered but play without audio.
- (5) Fix the RTMP bug.
- (6) Fix other bugs.